


Jorveza®

Instructions for Use

This 'Instructions for Use' leaflet should be read before use and in conjunction with the Consumer Medicine Information which is inside the product pack.



This leaflet explains how to take the Jorveza® tablets that your doctor has prescribed for you. If you have any concerns or questions about using Jorveza® please speak to your doctor, nurse or pharmacist.

BUDESONIDE
Jorveza® 1 mg
ORALLY DISINTEGRATING TABLETS

Jorveza®

What Jorveza® is used for

Jorveza® tablets are used to treat eosinophilic oesophagitis (EoE) which is an inflammatory condition of the oesophagus (food pipe) that causes problems with swallowing food.

However, your doctor may have prescribed Jorveza® for another use.

When to take Jorveza®

- The recommended dose for adults is two tablets per day.
- Take one tablet in the morning and one tablet at night.
- Take your medicine at about the same time each day.
- Taking it at the same time each day will have the best effect. It will also help you remember when to take it.



How to take Jorveza® tablets


- 1 A. Finish your meal
B. Take Jorveza®




Jorveza® should be placed on the tip of the tongue and gently pressed against the roof of the mouth.

Jorveza® should not be chewed or swallowed undissolved as this will reduce its effectiveness.

Some people may find the taste to be slightly bitter, but the bitter taste may go away after a few minutes.




Jorveza® usually dissolves within 2-5 minutes but it may take longer in some people. The dissolved material mixed with saliva should be swallowed little by little while this occurs. This ensures maximum uptake of the medication in the lining of the oesophagus where you need it.



Wait 30 minutes before:

- eating
- drinking
- performing oral hygiene
- using oral medications such as liquid sprays or chewable tablets

This is very important for the medication to be effective.





Scan the QR code to view the video on [topic/subject matter]

If you want to know more about eosinophilic oesophagitis, go to the ausEE Inc website www.ausee.org



If you have eosinophilic oesophagitis, this booklet will help you understand your condition and the treatments that are commonly used to manage it.

The content is not intended to be a substitute for professional medical advice, diagnosis or treatment.

If you have any questions about your eosinophilic oesophagitis or its treatment, make sure you speak to your doctor, nurse or pharmacist.

This booklet is available online at www.livingwiththeoe.com.au



Dr Falk Pharma Australia Pty Ltd.
Level 10, 815 Pacific Highway, Chatswood NSW 2067.
Tel: 1800 DRFALK (1800 373 255).
Jorveza® is a registered trademark of Dr Falk Pharma GmbH.
Date of preparation: January 2022 DFPXXXXXX.XXXXX DRF109